HITZE
CIEPŁO Z NATURY


KARTA TECHNICZNA
MASKOWNICA TYP S M03 4/4
LINIA STMA


PODSTAWOWE INFORMACJE O PRODUKCIE


- Wykonana jest ze stali o grubości 2 mm.
- Malowana jest farbą proszkową, odporną na wysoką temperaturę. Kolor farby odpowiada kolorowi wkładu kominkowego.
- Zasłania przestrzeń między obudową wkładu kominkowego, a jego drzwiami.
- Zaletą maskownic wkładów kominkowych jest prosty sposób montażu, który można przeprowadzić samodzielnie. Maskownicę przykręca się do ramy przy użyciu śrub M5.

MASKOWNICA TYP S M03 4/4 - front 50 mm

Kod produktu	Model wkładu	Wymiary maskownic [mm]				
		A	B	C	X	Y
FHST54x39S-M03	STMA54x39.S	673	512	57	577	417
FHST59x43S-M03	STMA59x43.S	718	552	57	622	457
FHST68x43S-M03	STMA68x43.S	808	552	57	712	457







HITZE
NATURAL HEATING


TECHNICAL CARD
MASKING FRAME TYPE S M03 4/4
STMA LINE


PRODUCT INFORMATION


- Made of 2 mm thick steel.
- Painted with high temperature resistant powder paint. The color of the paint suits the fireplace insert.
- Covers space between the housing of the insert and its door.
- The advantage of fireplace masking frame is the simple assembly method that can be carried out by yourself. The masking frame is screwed to the frame with the use of M5 screws.

MASKING FRAME TYPE S M03 4/4 - front 50 mm

Product code	Insert model	Masking frame dimensions [mm]				
		A	B	C	X	Y
FHST54x39S-M03	STMA54x39.S	673	512	57	577	417
FHST59x43S-M03	STMA59x43.S	718	552	57	622	457
FHST68x43S-M03	STMA68x43.S	808	552	57	712	457







HITZE
CIEPŁO Z NATURY


KARTA TECHNICZNA
MASKOWNICA TYP **RL M03 4/4**
LINIA STMA


PODSTAWOWE INFORMACJE O PRODUKCIE


- Wykonana jest ze stali o grubości 2 mm.
- Malowana jest farbą proszkową, odporną na wysoką temperaturę. Kolor farby odpowiada kolorowi wkładu kominkowego.
- Zasłania przestrzeń między obudową wkładu kominkowego, a jego drzwiami.
- Zaletą maskownic wkładów kominkowych jest prosty sposób montażu, który można przeprowadzić samodzielnie. Maskownicę przykręca się do ramy przy użyciu śrub M5.

MASKOWNICA TYP RL M03 4/4 - front 50 mm

Kod produktu	Model wkładu	Wymiary maskownic [mm]					
		A	B	C	D	X	Y
FSTMA54x39RL-M03	STMA54x39.R STMA54x39.L	634	513	435	57	584	385
FSTMA59x43RL-M03	STMA59x43.R STMA59x43.L	679	553	435	57	629	385
FSTMA68x43RL-M03	STMA68x43.R STMA68x43.L	769	553	435	57	719	385







HITZE
NATURAL HEATING

TECHNICAL CARD
MASKING FRAME TYPE **RL M03 4/4**
STMA LINE

PRODUCT INFORMATION

- Made of 2 mm thick steel.
- Painted with high temperature resistant powder paint. The color of the paint suits the fireplace insert.
- Covers space between the housing of the insert and its door.
- The advantage of fireplace masking frame is the simple assembly method that can be carried out by yourself. The masking frame is screwed to the frame with the use of M5 screws.

MASKING FRAME TYPE RL M03 4/4 - front 50 mm

Product code	Insert model	Masking frame dimensions [mm]					
		A	B	C	D	X	Y
FSTMA54x39RL-M03	STMA54x39.R STMA54x39.L	634	513	435	57	584	385
FSTMA59x43RL-M03	STMA59x43.R STMA59x43.L	679	553	435	57	629	385
FSTMA68x43RL-M03	STMA68x43.R STMA68x43.L	769	553	435	57	719	385

