HITZE
CIEPŁO Z NATURY


KARTA TECHNICZNA
MASKOWNICA TYP S M03 4/4
LINIA HST

PODSTAWOWE INFORMACJE O PRODUKCIE

- Wykonana jest ze stali o grubości 2 mm.
- Malowana jest farbą proszkową, odporną na wysoką temperaturę. Kolor farby odpowiada kolorowi wkładu kominkowego.
- Zasłania przestrzeń między obudową wkładu kominkowego, a jego drzwiami.
- Zaletą maskownic wkładów kominkowych jest prosty sposób montażu, który można przeprowadzić samodzielnie. Maskownicę przykręca się do ramy przy użyciu śrub M5.

MASKOWNICA TYP S M03 4/4 - front 50 mm

Kod produktu	Model wkładu	Wymiary maskownic [mm]				
		A	B	C	X	Y
FHST54x39S-M03	HST54x39.S	673	512	57	577	417
FHST59x43S-M03	HST59x43.S	718	552	57	622	457
FHST68x43S-M03	HST68x43.S	808	552	57	712	457



HITZE
NATURAL HEATING


TECHNICAL CARD
MASKING FRAME TYPE **S M03 4/4**
HST LINE


PRODUCT INFORMATION


- Made of 2 mm thick steel.
- Painted with high temperature resistant powder paint. The color of the paint suits the fireplace insert.
- Covers space between the housing of the insert and its door.
- The advantage of fireplace masking frame is the simple assembly method that can be carried out by yourself. The masking frame is screwed to the frame with the use of M5 screws.

MASKING FRAME TYPE S M03 4/4 - front 50 mm

Product code	Insert model	Masking frame dimensions [mm]				
		A	B	C	X	Y
FHST54x39S-M03	HST54x39.S	673	512	57	577	417
FHST59x43S-M03	HST59x43.S	718	552	57	622	457
FHST68x43S-M03	HST68x43.S	808	552	57	712	457







HITZE
CIEPŁO Z NATURY


KARTA TECHNICZNA
MASKOWNICA TYP **RL M03 4/4**
LINIA HST

PODSTAWOWE INFORMACJE O PRODUKCIE

- Wykonana jest ze stali o grubości 2 mm.
- Malowana jest farbą proszkową, odporną na wysoką temperaturę. Kolor farby odpowiada kolorowi wkładu kominkowego.
- Zasłania przestrzeń między obudową wkładu kominkowego, a jego drzwiami.
- Zaletą maskownic wkładów kominkowych jest prosty sposób montażu, który można przeprowadzić samodzielnie. Maskownicę przykręca się do ramy przy użyciu śrub M5.

MASKOWNICA TYP RL M03 4/4 - front 50 mm

Kod produktu	Model wkładu	Wymiary maskownic [mm]					
		A	B	C	X	Y	Z
FHST54x39RL-M03	HST54x39.R HST54x39.L	634	512	57	586	331	379
FHST59x43RL-M03	HST59x43.R HST59x43.L	679	551	57	631	331	379
FHST68x43RL-M03	HST68x43.R HST68x43.L	769	551	57	721	331	379



HITZE
NATURAL HEATING


TECHNICAL CARD
MASKING FRAME TYPE **RL M03 4/4**
HST LINE

PRODUCT INFORMATION

- Made of 2 mm thick steel.
- Painted with high temperature resistant powder paint. The color of the paint suits the fireplace insert.
- Covers space between the housing of the insert and its door.
- The advantage of fireplace masking frame is the simple assembly method that can be carried out by yourself. The masking frame is screwed to the frame with the use of M5 screws.

MASKING FRAME TYPE RL M03 4/4 - front 50 mm

Product code	Insert model	Masking frame dimensions [mm]					
		A	B	C	X	Y	Z
FHST54x39RL-M03	HST54x39.R HST54x39.L	634	512	57	586	331	379
FHST59x43RL-M03	HST59x43.R HST59x43.L	679	551	57	631	331	379
FHST68x43RL-M03	HST68x43.R HST68x43.L	769	551	57	721	331	379



HITZE
CIEPŁO Z NATURY


KARTA TECHNICZNA
MASKOWNICA TYP **G M03 4/4**
LINIA HST


PODSTAWOWE INFORMACJE O PRODUKCIE


- Wykonana jest ze stali o grubości 2 mm.
- Malowana jest farbą proszkową, odporną na wysoką temperaturę. Kolor farby odpowiada kolorowi wkładu kominkowego.
- Zasłania przestrzeń między obudową wkładu kominkowego, a jego drzwiami.
- Zaletą maskownic wkładów kominkowych jest prosty sposób montażu, który można przeprowadzić samodzielnie. Maskownicę przykręca się do ramy przy użyciu śrub M5.


MASKOWNICA TYP G M03 4/4 - front 50 mm

Kod produktu	Model wkładu	Wymiary maskownic [mm]					
		A	B	C	D	X	Y
FHST54x39G-M03	HST54x39.G	685	531	48	114	589	436
FHST59x43G-M03	HST59x43.G	728	571	48	114	632	476
FHST68x43G-M03	HST68x43.G	818	571	58	124	722	476









HITZE
NATURAL HEATING


TECHNICAL CARD
MASKING FRAME TYPE **G M03 4/4**
HST LINE


PRODUCT INFORMATION


- Made of 2 mm thick steel.
- Painted with high temperature resistant powder paint. The color of the paint suits the fireplace insert.
- Covers space between the housing of the insert and its door.
- The advantage of fireplace masking frame is the simple assembly method that can be carried out by yourself. The masking frame is screwed to the frame with the use of M5 screws.


MASKING FRAME TYPE G M03 4/4 - front 50 mm

Product code	Insert model	Masking frame dimensions [mm]					
		A	B	C	D	X	Y
FHST54x39G-M03	HST54x39.G	685	531	48	114	589	436
FHST59x43G-M03	HST59x43.G	728	571	48	114	632	476
FHST68x43G-M03	HST68x43.G	818	571	58	124	722	476









HITZE
CIEPŁO Z NATURY


KARTA TECHNICZNA
MASKOWNICA TYP **RG M03 4/4**
LINIA HST


PODSTAWOWE INFORMACJE O PRODUKCIE


- Wykonana jest ze stali o grubości 2 mm.
- Malowana jest farbą proszkową, odporną na wysoką temperaturę. Kolor farby odpowiada kolorowi wkładu kominkowego.
- Zasłania przestrzeń między obudową wkładu kominkowego, a jego drzwiami.
- Zaletą maskownic wkładów kominkowych jest prosty sposób montażu, który można przeprowadzić samodzielnie. Maskownicę przykręca się do ramy przy użyciu śrub M5.


MASKOWNICA TYP RG M03 4/4 - front 50 mm

Kod produktu	Model wkładu	Wymiary maskownic [mm]						
		A	B	C	D	X	Y	Z
FHST54x39RG-M03	HST54x39.RG	686	531	48	111	638	383	431
FHST59x43RG-M03	HST59x43.RG	741	571	58	120	693	393	441
FHST68x43RG-M03	HST68x43.RG	831	571	58	120	783	393	441









HITZE
NATURAL HEATING


TECHNICAL CARD
MASKING FRAME TYPE **RG M03 4/4**
HST LINE

PRODUCT INFORMATION

- Made of 2 mm thick steel.
- Painted with high temperature resistant powder paint. The color of the paint suits the fireplace insert.
- Covers space between the housing of the insert and its door.
- The advantage of fireplace masking frame is the simple assembly method that can be carried out by yourself. The masking frame is screwed to the frame with the use of M5 screws.

MASKING FRAME TYPE RG M03 4/4 - front 50 mm

Kod produktu	Model wkładu	Wymiary maskownic [mm]						
		A	B	C	D	X	Y	Z
FHST54x39RG-M03	HST54x39.RG	686	531	48	111	638	383	431
FHST59x43RG-M03	HST59x43.RG	741	571	58	120	693	393	441
FHST68x43RG-M03	HST68x43.RG	831	571	58	120	783	393	441



HITZE
CIEPŁO Z NATURY


KARTA TECHNICZNA
MASKOWNICA TYP **LG M03 4/4**
LINIA HST


PODSTAWOWE INFORMACJE O PRODUKCIE


- Wykonana jest ze stali o grubości 2 mm.
- Malowana jest farbą proszkową, odporną na wysoką temperaturę. Kolor farby odpowiada kolorowi wkładu kominkowego.
- Zasłania przestrzeń między obudową wkładu kominkowego, a jego drzwiami.
- Zaletą maskownic wkładów kominkowych jest prosty sposób montażu, który można przeprowadzić samodzielnie. Maskownicę przykręca się do ramy przy użyciu śrub M5.


MASKOWNICA TYP LG M03 4/4 - front 50 mm

Kod produktu	Model wkładu	Wymiary maskownic [mm]						
		A	B	C	D	X	Y	Z
FHST54x39LG-M01	HST54x39.LG	686	531	48	111	638	383	431
FHST59x43LG-M01	HST59x43.LG	741	571	58	120	693	393	441
FHST68x43LG-M01	HST68x43.LG	831	571	58	120	783	393	441









HITZE
NATURAL HEATING

TECHNICAL CARD
MASKING FRAME TYPE **LG M03 4/4**
HST LINE

PRODUCT INFORMATION

- Made of 2 mm thick steel.
- Painted with high temperature resistant powder paint. The color of the paint suits the fireplace insert.
- Covers space between the housing of the insert and its door.
- The advantage of fireplace masking frame is the simple assembly method that can be carried out by yourself. The masking frame is screwed to the frame with the use of M5 screws.

MASKING FRAME TYPE LG M03 4/4 - front 50 mm

Product code	Insert model	Masking frame dimensions [mm]						
		A	B	C	D	X	Y	Z
FHST54x39LG-M01	HST54x39.LG	686	531	48	111	638	383	431
FHST59x43LG-M01	HST59x43.LG	741	571	58	120	693	393	441
FHST68x43LG-M01	HST68x43.LG	831	571	58	120	783	393	441

